

*

DRAFT

Proposed Minimum Water Level Criteria
for Lake Okeechobee, the Everglades,
and the Biscayne Aquifer
within the
South Florida Water Management District


Appendix B -

Stage Duration Curves for Key Coastal Water Control
Structures in Dade, Broward and Palm Beach
Counties


Prepared by Staff of:

Planning Department
South Florida Water Management District
West Palm Beach, Florida
May 11, 1998


Stage Duration Curve G-54
50th Percentile = 3.68 84th Percentile = 3.28




Stage Duration Curve S-155
50th Percentile = 8.12 84th Percentile = 7.74




Stage Duration Curve G-56
50th Percentile = 7.43 84th Percentile = 6.75




Stage Duration Curve S-174
50th Percentile = 4.25 84th Percentile = 3.49




Stage Duration Curve S-22
50th Percentile = 2.86 84th Percentile = 2.04




Stage Duration Curve S-25B
50th Percentile = 2.55 84th Percentile = 1.95



Stage Duration Curve S-26
50th Percentile = 2.55 84th Percentile = 2.07




Stage Duration Curve S-37B
50th Percentile = 6.82 84th Percentile = 6.60




Stage Duration Curve S-40

50th Percentile = 8.13 84th Percentile = 7.59




Stage Duration Curve S-41

50th Percentile = 8.23 84th Percentile = 7.72



Stage Duration Curve S-29

50th Percentile = 2.16 84th Percentile = 1.90



Stage Duration Curve S-36

50th Percentile = 4.43 84th Percentile = 4.15

